

```
GUY, GOROCHOV et al.
<110>
       METHODS FOR CONSTRUCTION AND SCREENING OF LIBRARIES OF CHEMOKINE VARIANTS
<120>
       2121-0180P
<130>
       US 10/791,814
<140>
<141>
       2004-03-04
<150>
       us 09/945,665
       2001-09-05
<151>
<150>
       PCT/EP 02/11045
       2002-09-05
<151>
                                                             0
<160>
       41
      PatentIn version 3.1
<170>
<210>
       10
<211>
<212>
       PRT
<213>
       Unknown
<220>
<223> Cloned peptide sequence selected using the biopanning strategy (mammalian)
<400> 1
Leu Ser Pro Val Ser Ser Gln Ser Ser Ala
<210>
<211>
       10
<212>
       PRT
<213>
      Unknown
<\overline{223}> Cloned peptide sequence selected using the biopanning strategy (mammalian)
<400>
       2
Phe Ser Pro Leu Ser Ser Gln Ser Ser Ala
                                             C
<210>
       10
<211>
<212>
       PRT
       Unknown
<213>
<223> Cloned peptide sequence selected using the biopanning strategy (mammalian)
<400> 3
Leu Ser Pro Met Ser Ser Gln Ser Pro Ala
```

```
2006-05-22 Sequence Listing
<210>
      10
<211>
<212>
      PRT
<213>
     Unknown
<220>
<223> Cloned peptide sequence selected using the biopanning strategy (mammalian)
<400> 4
<210>
     10
<211>
<212>
      PRT
<213> Unknown
<223> Cloned peptide sequence selected using the biopanning strategy (mammalian)
<400> 5
<210>
      6
      10
<211>
<212>
      PRT
<213>
     Unknown
<223> Cloned peptide sequence selected using the biopanning strategy (mammalian)
<400>
Leu Ser Pro Gln Ser Ser Leu Ser Ser Ser 10
<210>
<211>
      10
<212>
      PRT
<213> Unknown
<\overline{223}> Cloned peptide sequence selected using the biopanning strategy (mammalian)
<400> 7
Ala Ser Ser Gly Ser Ser Gln Ser Thr Ser 10
<210>
      10
<211>
<212>
      PRT
<213>
      Unknown
```

<223> Cloned peptide sequence selected using the biopanning strategy (mammalian) Page 2

```
<400> 8
Ile Ser Ala Gly Ser Ser Gln Ser Thr Ser 1 5 10
<210>
       9
<211>
      10
<212>
      PRT
<213>
      Unknown
<223> Cloned peptide sequence selected using the biopanning strategy (mammalian)
<400> 9
<210>
      10
<211>
<212>
      10
       PRT
<213>
      Unknown
<220>
<223> Cloned peptide sequence selected using the biopanning strategy (mammalian)
<400> 10
Tyr Ser Pro Ser Ser Ser Leu Ala Pro Ala
1 5 10
<210>
<211>
       11
     10
<212>
       PRT
<213> Unknown
<223> Cloned peptide sequence selected using the biopanning strategy (mammalian)
<400> 11
Met Ser Pro Leu Ser Ser Gln Ala Ser Ala
1 5 10
<210> 12
<211>
       10
<212>
       PRT
<213>
      Unknown
<223> Cloned peptide sequence selected using the biopanning strategy (mammalian)
<400> 12
Ala Ser Pro Met Ser Ser Gln Ser Ser Ser 10
```

```
2006-05-22 Sequence Listing
<210>
       13
      10
<211>
<212>
      PRT
<213>
      Unknown
<\overline{223}> Cloned peptide sequence selected using the biopanning strategy (mammalian)
<400>
Gln Ser Pro Leu Ser Ser Gln Ala Ser Thr
1 5 10
       14
<210>
<211>
       10
<212>
       PRT
<213>
      Unknown
<220>
<223> Cloned peptide sequence selected using the biopanning strategy (mammalian)
<400> 14
Gln Ser Pro Leu Ser Ser Thr Ala Ser Ser
1 5 10
<210>
       15
<211>
       10
<212>
       PRT
<213>
      Unknown
<223> Cloned peptide sequence selected using the biopanning strategy (mammalian)
<400> 15
Leu Ser Pro Leu Ser Ser Gln Ser Ala Ala
1 5 10
<210> 16
<211>
       10
<212>
       PRT
<213>
       Unknown
<220>
<223> Cloned peptide sequence selected using the biopanning strategy (mammalian)
<400> 16
Gly Ser Ser Ser Ser Gln Thr Pro Ala
<210>
       17
<211>
       10
<212>
       PRT
<213>
      Unknown
<223> Cloned peptide sequence selected using the biopanning strategy (mammalian)
```

Page 4

```
<400> 17
Tyr Ser Pro Leu Ser Ser Gln Ser Ser Pro 1 5 10
<210>
       18
<211>
       10
<212>
       PRT
<213>
       Unknown
<223> Cloned peptide sequence selected using the biopanning strategy (mammalian)
<400> 18
Phe Ser Ser Val Ser Ser Gln Ser Ser Ser
<210> 19
<211>
      9
<212> PRT
<213> Artificial sequence
<220>
      tag HA 1.1 peptide sequence
<400> 19
Tyr Pro Tyr Asp Val Pro Asp Tyr Ala
<210>
       20
<211>
       39
<212>
       DNA
<213> Artificial sequence
<220>
<223>
      PCR downstream primer
<400>
                                                                          39
tggggcccct ctagacatct ccaaagagtt gatgtactc
<210>
       21
<211>
       99
<212>
       DNA
      Artificial sequence
<213>
<220>
<223>
       PCR upstream primer
<220>
       misc_feature
<221>
<222>
       (25)..(26)
<223>
      n is a, c, g, or t
<220>
```

Page 5

```
2006-05-22 Sequence Listing
      misc_feature
<221>
<222>
      (31)..(31)
<223>
      n is a, c, g, or t
<220>
<221>
       misc_feature
<222>
       (34)..(35)
<223>
      n is a, c, g, or t
<220>
<221>
       misc_feature
<222>
      (43)..(44)
<223>
      n is a, c, g, or t
<220>
       misc_feature
<221>
<222>
       (46)..(46)
<223>
       n is a, c, g, or t
<220>
<221>
<222>
       misc_feature
      (49)..(49)
      n is a, c, g, or t
<223>
<220>
      misc_feature
<221>
<222>
      (52)..(52)
<223> n is a, c, g, or t
<400> 21
ctcgcggccc agccggccat ggccnnktcc ncannktcct cgnnknccnc ancctgctgc
                                                                         60
                                                                         99
tttgcctaca ttgcgcggcc gctgccccgt gcccacatc
<210>
       22
       10
<211>
<212>
      PRT
<213>
      Unknown
<223> Cloned peptide sequence selected using the biopanning strategy (mammalian)
<400> 22
Ile Ser Ala Gly Ser Ser Glu Leu Ala Ala 1 \  \  \, 
<210>
      23
<211>
       10
<212>
      PRT
<213>
      Unknown
<223> Cloned peptide sequence selected using the biopanning strategy (mammalian)
Ala Ser Pro Leu Ser Ser Gln Ser Ser Ser
```

O

```
24
<210>
       10
<211>
<212>
       PRT
<213> Artificial Sequence
<220>
<223> Synthetic peptide
<220>
<221>
       misc_feature
<222>
       (1)..(1)
       Xaa = L or an aromatic residue
<220>
<221>
       misc_feature
<222>
       (3)..(3)
      Xaa = S,P,T or A
<223>
<220>
      misc_feature
<221>
<222>
      (4)..(4)
<223> Xaa = L, M or V
<220>
<221>
<222>
       misc_feature
       (8)..(10)
       Xaa = S,P,T or A
<223>
<400> 24
Xaa Ser Xaa Xaa Ser Ser Gln Xaa Xaa Xaa 1
<210> 25
<211> 10
      10
<212> PRT
<213> Artificial Sequence
<220>
<223> Consensus biopanning on CCR5 cells
<220>
<221>
       misc_feature
                                             C
<222>
       (4)..(4)
<223>
       Xaa = L, M or V
<400> 25
Leu Ser Pro Xaa Ser Ser Gln Ser Ser Ala
1 5 10
<210>
       26
<211> 10
<212> PRT
<213> Artificial Sequence
```

```
2006-05-22 Sequence Listing
<220>
      Consensus biopanning on 1D2 antibody
<220>
      misc_feature
<221>
<222>
      (8)..(8)
Xaa = A, P or S
<223>
<400> 26
Arg Ser Pro Pro Ser Ser Arg Xaa Ala Ser
      27
<210>
<211>
       9
<212>
       PRT
<213>
      Homo sapiens
<400> 27
Ser Pro Tyr Ser Ser Asp Thr Thr Pro
<210>
      28
<211>
       10
<212>
       PRT
      Artificial Sequence
<213>
<220>
<223>
       RANTES library sequence
<220>
<221>
       misc_feature
<222>
       (1)..(1)
       xaa = any amino acid, unknown or other
<223>
<220>
       misc_feature
<221>
<222>
       (3)..(3)
       Xaa = A, P, S or T
<223>
<220>
       misc_feature
<221>
<222>
       (4)..(4)
       xaa = any amino acid, unknown or other
<223>
<220>
       misc_feature
<221>
<222>
       (7)..(7)
       xaa = any amino acid, unknown or other
<223>
<220>
<221>
       misc_feature
<222>
       (8)..(10)
<223>
       Xaa = A, P, S or T
<400>
       28
```

....

Xaa Ser Xaa Xaa Ser Ser Xaa Xaa Xaa Xaa Page 8

```
2006-05-22 Sequence Listing
                                      10
                 5
1
       29
<210>
<211>
       10
<212>
       PRT
       Artificial Sequence
<213>
<220>
      Consensus biopanning sequence
<223>
<220>
       misc_feature
<221>
<222>
       (4)..(4)
       Xaa = A, P, S or T
<223>
<400>
      29
Leu Ser Pro Xaa Ser Ser Gln Ser Ser Ala
1 5 10
<210>
       30
<211>
       10
<212>
       PRT
<213>
       Unknown
<220>
       Cloned peptide sequence (mammalian)
<223>
<400>
       30
val Ser Thr Leu Ser Ser Pro Ala Ser Thr
       31
10
<210>
<211>
<212>
       PRT
<213>
       Unknown
<220>
<223>
       Cloned peptide sequence (mammalian)
<400> 31
Ala Ser Ser Phe Ser Ser Arg Ala Pro Pro 1 	 5 	 10
<210>
       32
<211>
       10
<212>
       PRT
       Unknown
<213>
<220>
       Cloned peptide sequence (mammalian)
<223>
<400>
       32
Gln Ser Ser Ala Ser Ser Ser Ser Ala
```

Page 9

```
2006-05-22
                                            Sequence Listing
                  5
1
       33
10
<210>
<211>
<212>
        PRT
<213>
       Unknown
<220>
<223>
       Cloned peptide sequence (mammalian)
<400>
        33
Gln Ser Pro Gly Ser Ser Trp Ser Ala Ala
1 5 10
<210>
       34
<211>
       10
<212>
       PRT
<213>
       Unknown
<220>
       Cloned peptide sequence (mammalian)
<223>
<400>
       34
Gln Ser Pro Pro Ser Ser Trp Ser Ser Ser
<210>
       35
<211>
       10
<212>
       PRT
<213>
       Unknown
<220>
       Cloned peptide sequence (mammalian)
<223>
<400>
Gln Ser Pro Leu Ser Ser Phe Thr Ser Ser 1 	 5 	 10
<210>
       36
<211><212>
       10
       PRT
<213>
       Unknown
<220>
<223>
       Cloned peptide sequence (mammalian)
<400>
       36
Ala Ser Pro Gln Ser Ser Leu Pro Ala Ala
<210>
       37
<211>
       10
<212>
       PRT
<213>
      Artificial Sequence
```

Page 11

```
<220>
      Consensus sequence 1
<220>
<221>
<222>
       misc_feature
       (7)..(7)
<223>
       Xaa is an aromatic residue
<400> 37
Gln Ser Pro Gln Ser Ser Xaa Ser Ser Ala
<210>
<211>
       10
<212>
       PRT
<213>
       Artificial Sequence
<220>
<223> Consensus sequence 2
<220>
<221>
      misc_feature
<222>
       (10)..(10)
       xaa can be any naturally occurring amino acid
<223>
<400>
       38
Leu Ser Pro Gln Ser Ser Leu Ser Ser Xaa 1 5 10
      39
10
<210>
<211>
<212> PRT
<213> Artificial Sequence
<220>
<223> Synthetic peptide
<220>
       misc_feature
<221>
<222>
       (1)..(1)
       Xaa = L or an aromatic residue
<223>
<220>
       misc_feature
<221>
<222>
       (4)..(4)
       Xaa = L, M or V
<223>
<220>
<221>
      misc_feature
<222>
      (8)..(10)
<223>
       Xaa = S,P,T or A
<400>
Xaa Ser Pro Xaa Ser Ser Gln Xaa Xaa Xaa
```

ι.

Sequence Listing 10 5 1 <210> 40 68 <211> <212> **PRT** <213> Homo sapiens <400> 40 Ser Pro Tyr Ser Ser Asp Thr Thr Pro Cys Cys Phe Ala Tyr Ile Ala  $10 \ 15$ Arg Pro Leu Pro Arg Ala His Ile Lys Glu Tyr Phe Tyr Thr Ser Gly 20 25 30 Lys Cys Ser Asn Pro Ala Val Val Phe Val Thr Arg Lys Asn Arg Gln 35 40 Val Cys Ala Asn Pro Glu Lys Lys Trp Val Arg Glu Tyr Ile Asn Ser 50 55 60 Leu Glu Met Ser <210> 41 69 <211> <212> PRT <213> Artificial Sequence <220> <223> Synthetic peptide <220> misc\_feature <221> <222> (1)..(1)xaa = L or an aromatic residue <223> <220> misc\_feature <221> <222> (4)..(4) <223> Xaa = L, M or V<220> <221> <222> misc\_feature (8)..(10)<223> Xaa = S,P,T or A

<400> 41

Xaa Ser Pro Xaa Ser Ser Gln Xaa Xaa Xaa Cys Cys Phe Ala Tyr Ile 1 5 10 15

Ala Arg Pro Leu Pro Arg Ala His Ile Lys Glu Tyr Phe Tyr Thr Ser 20 25 30

Gly Lys Cys Ser Asn Pro Ala Val Val Phe Val Thr Arg Lys Asn Arg 35 40 45

Gln Val Cys Ala Asn Pro Glu Lys Lys Trp Val Arg Glu Tyr Ile Asn 50 55 60

Ser Leu Glu Met Ser 65

0